

THE BOROUGH OF WAREHAM.

ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH

FOR THE YEAR

1948.

PUBLIC HEALTH OFFICERS.

Medical Officer of Health	E.J. O'KEEFFE, B.A., M.R.C.S., L.R.C.P., D.P.H.
Sanitary Inspector	N.J. ARNEY, Certificate R.S.I., & S.I.E.J.B., M.S.I.A. Meat and Food Certificate.

The Medical Officer of Health also holds the appointments of Medical Officer of Health to the Swanage Urban District Council, Wareham and Purbeck Rural District Council, and Assistant Medical Officer to Dorset County Council.

The Sanitary Inspector also holds the appointment of Borough Surveyor for Wareham.

Public Health Office,
12a. Instituto Road,
Swanago.

August, 1949.

To the Mayor, Aldermen, and Councillors,
of the Borough of Wareham.

Your Worship and Gentlemen,

I have the honour to present for your consideration, my Annual Report for the year 1948.

The health of the Borough remained satisfactory during the year. The incidence of infectious disease was very slight, there being notified only one case of scarlet fever, three cases of whooping cough and no case of measles.

Eleven cases of verminous conditions of the scalp in children, and no cases of scabies were reported.


In the past the Council experienced great difficulty in arranging for the removal to suitable premises, aged and infirm people who were in need of care and attention and who were often living under very filthy conditions. Section 47 of the National Assistance Act 1948, which came into force in July, now gives the Council powers to deal with these cases.

A brief note on the changes brought about by the coming into operation of the National Health Services Act will be found in this report.

The provision of suitable housing accommodation still remains the most urgent Public Health problem in the Borough. Although seventy-five families have been rehoused since 1945, there were still 78 applicants on the list for Council Houses at the end of the year.

I wish to thank the members of the Council for their kindness and consideration and the Sanitary Inspector and other Officers of the Council for their help and co-operation during the year.

I have the honour to remain,
Your Worship and Gentlemen,
Your obedient Servant,

A handwritten signature in dark ink, appearing to read 'E. J. Keefe'. The signature is fluid and cursive, with a large initial 'E' and 'J'.

Medical Officer of Health.

Birth, Death, Infant and Maternal Mortality Rates
for the Year 1948.

	Wareham	England & Wales
Birth rate per 1,000 population	22.8	17.9
Still birth rate per 1,000 population	-	0.42
Death rate per 1,000 population		
All causes	13.3	10.8
Typhoid and Paratyphoid	-	-
Whooping Cough	-	0.02
Diphtheria	-	-
Tuberculosis	0.38	0.51
Influenza	-	0.03
Smallpox	-	-
Acute Poliomyelitis and Polio- encephalitis	-	0.01
Pneumonia	-	0.41
Enteritis and Diarrhoea (under 2 years) per 1,000 live births	-	3.3
Maternal Mortality rate per 1,000 total (live and still) births		
Abortion with sepsis	-	0.11
Abortion without sepsis	-	0.05
Puerperal Infections	-	0.13
Other maternal causes	-	0.73
Death rate of Infants under 1 year of age.		
All infants per 1,000 live births	16.6	34
Legitimate infants per 1,000 legitimate live births	17.5	Not
Illegitimate infants per 1,000 illegitimate live births	-	Available

Causes of Deaths Year 1948.

No. in Registrar-General's Abridged List	Cause	Male	Female	Total
1	Typhoid and paratyphoid fevers	-	-	-
2	Cerebro-spinal fever	-	-	-
3	Scarlet Fever	-	-	-
4	Whooping cough	-	-	-
5	Diphtheria	-	-	-
6	Tuberculosis of respiratory system	-	1	1
7	Other forms of tuberculosis	-	-	-
8	Syphilitic diseases	-	-	-
9	Influenza	-	-	-
10	Measles	-	-	-
11	Acute poliomyelitis and polio-encephalitis	-	-	-
12	Acute infectious encephalitis	-	-	-
13 (M)	Cancer of buccal cavity and oesophagus	-	-	-
(F)	Cancer of uterus	-	-	-
14	Cancer of stomach and duodenum	-	2	2
15	Cancer of breast	-	-	-
16	Cancer of all other sites	4	1	5
17	Diabetes	-	2	2
18	Intra-cranial vascular lesions	1	2	3
19	Heart diseases	8	5	13
20	Other diseases of circulatory system	-	-	-
21	Bronchitis	1	-	1
22	Pneumonia	-	-	-
23	Other respiratory diseases	-	-	-
24	Ulcer of stomach or duodenum	-	-	-
25	Diarrhoea (under 2 years of age)	-	-	-
26	Appendicitis	1	-	1
27	Other digestive diseases	1	1	2
28	Nephritis	1	-	1
29	Puerperal and post-abortive sepsis	-	-	-
30	Other maternal causes	-	-	-
31	Premature birth	-	-	-
32	Congenital malformations, birth injury, infantile diseases	1	-	1
33	Suicide	2	-	2
34	Road traffic accident	-	-	-
35	Other violent causes	-	-	-
36	All other causes	-	1	1
Total		20	15	35

GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA

During the year, with the coming into force of the National Health Service Act 1946 in July, many changes occurred in the responsibility for the provision of health services in the district.

Hospital and specialist medical services became the responsibility of the Ministry of Health and are administered by a Regional Hospital Board and Hospital Management Committee. It is no longer the duty of the Borough Council to provide hospital accommodation for cases of infectious disease.

The General Medical, Pharmaceutical, Dental, and Supplementary Ophthalmic Services became the responsibility of the Executive Council constituted under the Act for the Local Health Authority Area.

The County Council as the Local Health Authority under the Act has become responsible for ambulance services and immunisation. The Council's immunisation scheme, therefore, came to an end in July, as did the joint scheme with the Marcham Rural District for the provision of Ambulance Service.

The provision of domiciliary midwifery, care of mothers and young children, health visiting, home nursing, vaccination, prevention of illness, care and after care, domestic services, and provision of health centres, are the responsibility of the County Council as the Local Health Authority.

Public Health Laboratory Service

Facilities are available to the Council for the examination of all specimens of Public Health importance, including water samples, free of charge at the County Public Health Laboratory, Dorchester.

Child Welfare Centre

A Child Welfare Centre is provided by the Dorset County Council, at the Wesleyan Sunday School, Dollins Lane. The Centre is open on Thursday afternoons at 2 p.m.; a doctor attends on the second and fourth Thursdays in the month.

SANITARY PROVISIONS OF THE AREA

Water Supply

There has been no major alteration of the source of water supply during the year.

The water supply is from two wells at Worgret Heath, over $\frac{1}{2}$ mile from the Borough boundary. The Old Well, on Worgret Heath 101 ft. above O.D., is about 100 ft. deep in the Bagshot Sand and Clay Series, with a water rest level of 11 ft. The New Well, sunk in 1940 in the nearby river meadow, is 30 ft. deep with a water rest level of 25 ft.

The water is pumped through an aerating spray to a concrete tower 30 ft. in height, where it is dosed with lime, 66 lbs. per 100,000 gals. The water is then filtered through Permutit pressure filters at 10 lbs. per square inch, after which it is chlorinated at the rate of 10 lbs. chlorine per million gallons of water.

The water is stored in concrete reservoirs with a capacity of 320,000 gallons. The average daily consumption is approximately:-

Total consumption 100,000 gals., of which 16,000 gals is supplied to the Railway.

In addition to supplying the Borough, water is also supplied to a number of houses in the Bestwall and Worgret areas of the adjoining Rural District.

The water supply has been adequate during the year and the quality of water supplied has been satisfactory.

The Council's Consulting Engineer made an inspection of the Old Well at Worgret and proposals for extensive repairs necessary to the lining of the well were submitted to the Council. It was decided to proceed with the relining scheme recommended by the Engineer.

A further small extension of the water system was made during the year to supply new houses on the Council's Bire Road Housing Site.

Chemical Analysis

No samples were taken for chemical analysis during the year. A sample taken since the end of the year gave satisfactory results.

Bacteriological Examination of Water

Description of Water	Total No. of Samples	No. of Samples	Presumptive B.Coli per 100 ml. after 48 hrs. at 37°C.	Type B.Coli
Raw water old well	-	-	Nil.	-
Raw water new well	1	1	Nil.	-
Treated water at pumping station	1	1	Nil.	-
Treated water from service tap in town	21	19 2	Nil. 1	- Aerogenes

Water Supply to Houses in the Borough

		<u>Percentage of Dwelling-Houses</u>	<u>Percentage of Population</u>
From Public Mains	(a) direct to dwelling-houses ...	98.43	98.92
	(b) by means of stand-pipe ...	0.71	0.44
From Private Wells	(a) direct to dwelling-houses ...	0.43	0.48
	(b) not piped to dwelling-houses ...	0.43	0.16

Sewerage and Drainage

There were no major extensions and alterations to the sewerage system during the year.

In addition to serving the Borough the sewerage system received drainage from 27 houses on the Bestwall Estate, which is just outside the Borough boundary.

Storm water, as far as is practicable, is excluded from the sewerage system and is drained by soakaway pits or through storm water drains to the rivers Frome or Piddle.

The sewerage works consist of three pumping stations situated at South Bestwall, North Bridge, and Northport, and a disposal works situated on 8 acres of land on the Borough boundary to the north-east of the town. The length of rising mains is 3,800 yards and provision is made for the chlorination of sewage at the pumping stations.

The disposal works consist of:-

A Balancing Tank, capacity 7814 gallons. D.W.F. 3 hours.
Two Dortmund Tanks, capacity 39,060 gallons. D.W.F. 15 hours.
Five Sludge Beds, area 5,250 sq. ft.
An area of approximately 5 acres of land is used for the treatment of the effluent from the Dortmund Tanks.

The effluent from the Dortmund Tanks is run off into broad tranches. During wet periods these tranches are all full to overflowing, and there is evidence that the land has become sewage sick and unable to deal with the volume of sewage.

During the year the Council Consulting Engineer inspected the sewage disposal works and recommended, in order to make the best use of the existing works, that, the balancing tank, which was not in use, be put into operation, the sedimentation tanks to be cleaned out one at a time and the irrigation area be ploughed up. These recommendations were carried out and conditions at the disposal works have improved.

It seems likely that eventually more extensive works will have to be considered.

A new drainage system, connected with the public sewer was constructed at the Infants School in West Street, where 7 pail closets were converted to water closets, and one additional water closet provided.

No. of houses not connected with sewer	...	11
" " " with pail closets	...	5
" " " " cesspits	...	6
No. of pail closets abolished	...	10
" " cesspits abolished	...	1
" " houses connected with sewer	...	20
Now Cesspool	...	1

SANITARY INSPECTION OF THE AREA

Summary of Inspections

Bakehouses	12	Infectious Disease & Verminous		
Butcher's Shops	36	Persons	...	17
Building Bye-Laws	66	Markets/Hawkers	...	17
Complaints	26	Meat Inspection	...	13
Cowsheds	5	Nuisances	...	6
Dairies	19	Slaughter-houses	...	4
Drainage	73	Urinals	...	4
Drain Tests	38	Shops	...	6
Sewer	4	Samples - Water and Milk	...	31
Factories/Workshops	29	Food & Ice Cream Premises	...	36
Dwelling-houses - Public Health				Fish Shops and Fryers	...	4
and Housing Acts	90	Miscellaneous	...	157

Total number of inspections and visits ... 693

Statutory and Informal Notices

The following table shows the action taken to secure the abatement of nuisances and the removal of conditions dangerous or injurious to health:-

<u>Notices</u>	<u>Number Served</u>	<u>Number Complied With</u>	<u>Outstanding</u>
Informal	38	34	4
Statutory	3	3	-

Miscellaneous Work Done Following Service of Notice

			<u>Notices Served</u>	<u>Notices Complied With</u>
Defective Urinal	1	1
Re-drainage	5	5
Absence R.W. guttering	2	2
Defective closets	1	1
Water storage	1	1
Insufficient closets	1	1
Connection to sewer	2	-
Permitted number	1	-
Sanitary conveniences - shop	1	-
Flooded cellar	1	1
Dangerous walls	1	1
Dangerous soakpit	1	1
Shops Act	4	4
Reject fore-milk	1	1
Accumulations removed	4	4
Housing repairs	1	-
Drains repaired	6	6
Defective Wall	1	1
Trees and hedges	3	4
			<u>38</u>	<u>34</u>
		Totals:		

Disinfection

During the year disinfection of premises, bedding and personal effects was carried out after various infectious diseases.

Number of visits in connection with infectious disease and/or verminous persons ... 17

Number of rooms disinfected after cases of infectious disease 9

Control of Moveable Dwellings

No sites for moveable dwellings have been licenced in the Borough and no licences to station individual moveable dwellings have been issued.

Rodent Control

The Rodent Officer for the combined Wareham Rural, Wareham Borough, and Swanage Urban District reports that during the year 338 inspections were carried out and a number of infestations effectively dealt with. Five cases were scheduled as suspects due to spasmodic taking of pre-baits. Block Control is progressing satisfactorily and out of 9 areas covered only one proved positive.

Refuse Tip:-

The Borough refuse tip at North Causeway was treated satisfactorily. This tip is now closed.

Sewerage System:-

The Borough sewers have had the necessary 10% treatment. The sewage disposal works were inspected and found to be free from infestation.

Verminous Premises

No verminous premises were reported during the year.

Refuse Collection and Disposal

House and trade refuse collection is undertaken by the Council. Collections are made weekly, the refuse being disposed on the Council's Refuse Tip at North Causeway. Modified controlled tipping is practiced, earth excavated from the housing site being used for covering and sealing.

Spraying of the tip with insecticide was necessary to control fly infestation and towards the end of the year, as the site was nearly full, the Council were recommended to find alternative tipping arrangements.

Shops Act

One Certificate of Exemption from the provisions of the 1934 Act relating to Sanitary Accommodation was granted, and one notice was served requiring the provision of sanitary accommodation on the shop premises. Notices were served and complied with relating to the provision of notices re assistant's half holiday, provision of seats for shop assistants, and early closing day.

Swimming Baths

There are no swimming baths in the Borough.

INSPECTION AND SUPERVISION OF FOODMeat and Other FoodsMeat Inspection

Number of Private Slaughter-houses (temporarily closed)	...	3
Number of Butchers Shops	5

Visits for the purpose of inspecting home-killed meat at the Ministry of Food Slaughterhouse, Dorchester, were made on 13 occasions, the following animals being examined:-

Bulls	...	25	Sheep	...	397
Steers	...	4	Pigs	...	7
Cows	...	71	Stirk	...	1
Heifers	...	40			
Total	545				

The total weight of unsound meat condemned amounted to 1 Ton 7 Cwt. 0 Qrs. 13 lbs., 17 Cwt. 1 Qrs. 5 lbs. being affected with tuberculosis. Within the Borough 887 lbs. of meat, 222 lbs. corned beef and mutton, 108 lbs. trotters, and 74 lbs. sausages were examined and condemned.

Total weight condemned: 11 Cwts. 2 Qrs. 3 lbs.

Food and Food Premises

The various food preparing premises were regularly visited.

One Bakehouse had new floor provided and the roof and walls repaired and lime-washed throughout.

The following foodstuffs were inspected and condemned:-

	Weight Lbs.		Weight Lbs.
Tinned Goods	... 181	Skimmed Milk	... 271
Barley Flakes	... 898	Fish	... 154
Dried and Shell eggs	... 47	Miscellaneous	... 195

Total weight: 15 Cwt. 2 Qrs. 10 Lbs.

Milk SupplyMilk and Dairies

The following are particulars with regard to Cowsheds and Dairies:-

Number of Persons on Register at end of 1948	...	5
" " Dairy Farms and other Dairy premises on Register at end of 1948	5
Number of Dairy Farms inspected during 1948	...	5
" " inspections made	24
" " informal notices served	3
" " " " complied with	3
" " " " outstanding	-
" " samples taken	7

Cowsheds and dairies were all inspected, 24 visits of inspection being made during the year. Three informal notices were served respecting minor contraventions of the Milk and Dairies Order.

A new cowshed and dairy were constructed at Northmoor Farm to replace old and dilapidated buildings.

There is one milk bottling establishment within the Borough, the remainder of the milk being supplied by street vendors from dairies outside the area. It is estimated that about 60% of the milk supplied in the Borough is either Pasteurised or Tuberculin Tested.

All the schools in the Borough under the control of the Local Education Authority, are supplied with Pasteurised milk.

Milk (Special Designations) Regulations

The following licences were in force under the Milk (Special Designations) Regulations, 1936 to 1941 at the end of the year:-

Dealer's Tuberculin Tested bottling licence	1
Supplementary licence to sell Tuberculin Tested Milk	1
" " " " Pastourised Milk	1

No new licences were issued during the year.

Six samples of Tuberculin Tested milk were taken for examination and gave the following results:-

Lab. No.	B.Coli	Reductase Test
6598	Nil.	Passed.
191	1/100 in 2 tubes.	Passed.
309	Nil.	Passed.
872	1/100 in 3 tubes.	Failed 3½ hours.
2030	1/100 in 3 tubes.	Failed 4 hours.
2752	Nil.	Passed.

All the above samples were taken from the same dairy. Following on the unsatisfactory results obtained, conditions at the producing dairy farm were investigated and subsequent samples gave satisfactory results.

Food and Drugs Act, 1938

Number of premises registered for the sale or storage of Ice Cream	10
" " " " " " manufacture or Ice Cream	Nil.
" " " " " " preparation and manufacture	
of foods other than Ice Cream	9

There were no new registrations of food preparing premises during the year.

Ice Cream

Two samples of ice cream were taken and submitted for the Methylene Blue Reduction Test, giving the following results:-

<u>Sample No.</u>	<u>Provisional Grade</u>
6553	4
6554	3

The standards adopted for grading are those suggested in the report (1947) of the sub committee appointed by the Medical Research Council to enquire into tests for the bacteriological grading of ice cream.

HOUSING

The standard of housing generally in the Borough may be regarded as fair; although there has been little work of reconstruction or major repairs to old houses in recent years.

Many families are still housed under unfavourable conditions and at the end of the year there were still 78 applicants on the waiting list for Council Houses.

During the year the Council took steps to acquire a site for the erection of bungalows for old people.

No. of applicants at the end of 1948 on waiting list for Council Houses, exclusive of those already rehoused under the Emergency Housing Scheme					78
Total number of families in Emergency Housing					15

Emergency Housing

Total number of houses held under requisition by Local Authority at 31.12.48					15
Number of families housed					15

Post-War Housing Programme

<u>Site</u>	<u>No. of Houses Proposed</u>	<u>Completed</u>		
		<u>1946</u>	<u>1947</u>	<u>1948</u>
Bore Road Housing Site	137	18	16	16
Morctons Lane Site	10 (Temporary pre-fabs.)	10	-	-

Overcrowding

No new cases of overcrowding were reported during the year. Three outstanding cases were relieved.

Housing Inspection

1. Inspection of Dwelling-Houses during the Year.
 1. (a) Total number of dwelling-houses inspected for housing defects (under Public Health or Housing Acts) ... 40
 - (b) Number of inspections made for the purpose ... 50
 2. (a) Number of dwelling-houses (included under sub-head (1) above) which were inspected and recorded under the Housing Consolidated Regulations, 1925 and 1932 ... 1
 - (b) Number of inspections made for the purpose ... 2
 3. No. of dwelling-houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation -
 4. No. of dwelling-houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation ... 1
2. Remedy of Defects during the Year without Service of Formal Notices.

Number of defective dwelling-houses rendered fit in consequence of informal action by the Local Authority or their Officer 3

3. Action under Statutory Powers during the Year.

(a) Proceedings under Sections 9, 10, and 16 of the Housing Act, 1936.

1. Number of dwelling-houses in respect of which notices were served requiring defects to be remedied	1
2. Number of dwelling-houses which were rendered fit after service of formal notices:-			
(a) By Owners	1
(b) By Local Authority in default of owners	-

(b) Proceedings under Public Health Acts.

1. Number of dwelling-houses in respect of which notices were served requiring defects to be remedied	1
2. Number of dwelling-houses in which defects were remedied after service of formal notices:-			
(a) By Owners	1
(b) By Local Authority in default of owners	-

(c) Proceedings under Section 11 and 13 of the Housing Act, 1936.

1. Number of dwelling-houses in respect of which:-			
(a) Demolition Orders were made	-
(b) Undertakings not to use for human habitation until rendered fit accepted	-
2. Number of dwelling-houses demolished in pursuance of Demolition Orders	-

(d) Proceedings under Section 12 of the Housing Act, 1936.

1. Number of separate tenements or underground rooms in respect of which Closing Orders were made	-
2. Number of separate tenements or underground rooms in respect of which Closing Orders were determined, the tenement or room having been rendered fit	-

4. New Houses.

Total number of new houses erected during 1948	...	17
Number erected during 1948 with State Assistance:-		
(a) By Local Authority	...	16
(b) By Other Bodies or Persons	...	-
Number of houses owned by Local Authority:-		
(a) Permanent	...	155
(b) Temporary Pre-fabricated bungalows	...	10
Approximate number of working class houses in the district		617

PREVALENCE AND CONTROL OF INFECTIOUS DISEASE

There was very little infectious disease in the Borough during the year, and no deaths were registered as due to infectious disease.

The following are particulars of cases notified during the year:-

Disease	Total cases notified	Cases admitted to Infectious Diseases Hospital	Total Deaths
Scarlet Fever	1	-	-
Pneumonia	6	-	-
Whooping Cough	3	-	-
Puerperal Pyrexia	1	-	-

Notification Rates per 1,000 Civilian Population

Infectious Disease	England and Wales	Wareham Borough
Typhoid Fever	0.01	0.00
Paratyphoid Fever	0.01	0.00
Cerebro-spinal Fever	0.03	0.00
Scarlet Fever	1.73	0.38
Whooping Cough	3.42	1.14
Diphtheria	0.08	0.00
Erysipelas	0.21	0.00
Smallpox	0.00	0.00
Measles	9.34	0.00
Pneumonia	0.73	2.24
Acute Poliomyelitis	0.04	0.00
Acute Polio-encephalitis	0.00	0.00

Cases of Infectious Diseases Notified 1948

Disease	Age Group													All Ages	Not Known
	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	65 & Over			
Scarlet Fever						1									
Pneumonia												3	1		2
Whooping Cough		1	1		1										
Epidemic Typhus														1	

Scabies and Verminous Conditions

The following are particulars of the number of children notified as excluded from school suffering from scabies or verminous conditions:-

Scabies ... -

Verminous scalp ... 11

Visits are paid to the homes of all cases to ensure that satisfactory treatment is being carried out. The Council does not maintain a treatment centre for these cases.

Tuberculosis

Particulars of new cases of tuberculosis and of all deaths during 1948:-

Age Periods		New Cases				Deaths			
		Pulmonary		Non-Pulmonary		Pulmonary		Non-Pulmonary	
		M.	F.	M.	F.	M.	F.	M.	F.
0	...								
1	...								
5	...								
10	...								
15	...								
20	...								
25	...	2					1		
35	...								
45	...								
55	...								
65 & upwards	...								
Totals	...	2	-	-	-	-	1	-	-

Cases of tuberculosis remaining on the Register of Notifications on 31st December, 1948:-

Pulmonary			Non-Pulmonary			Total Cases
Males	Females	Total	Males	Females	Total	
6	1	7	3	3	6	13

FACTORIES ACT, 1937Part 1 of the Act

1. INSPECTIONS for purpose of provisions as to health (including inspections made by Sanitary Inspectors).

Premises	Number on Register	Number of		
		Inspections	Written Notices	Occupiers Prosecuted
(i) Factories in which Sections 1, 2, 3, 4, and 6 are to be enforced by Local Authorities	9	16	7	-
(ii) Factories not included in (1) in which Section 7 is enforced by the Local Authority ...	12	5	4	-
(iii) Other Premises in which Section 7 is enforced by the Local Authority (excluding out-workers' premises ...	2	2	1	-
TOTAL ...	23	23	12	-

2. CASES IN WHICH DEFECTS WERE FOUND.

Particulars	Number of cases in which defects were found				Number of cases in which prosecutions were instituted
	Found	Remedied	Referred To H.M. Inspector	By H.M. Inspector	
Want of Cleanliness (S.1)	4	4	-	-	-
Overcrowding (S.2) ...	-	-	-	-	-
Unreasonable temperature (S.3)	-	-	-	-	-
Inadequate ventilation (S.4)	1	1	-	-	-
Ineffective drainage of floors (S.6)	1	1	-	-	-
Sanitary Conveniences (S.7)					
(a) Insufficient ...	1	1	-	-	-
(b) Unsuitable or defective	1	1	-	-	-
(c) Not separate for sexes	1	1	-	-	-
Other offences against the Act (not including offences relating to Outwork ...	5	4	2	2	-
TOTAL	14	13	2	2	-

Part VIII of the Act.OUTWORK

(Sections 110 and 111)

No notifications of outworkers in the district have been received during the year.

